

Compilation date: 01/09/2023 Revision date: 01/04/2025

Revision No: 1

1 IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY

Product Identifier: Prep Fluid

Relevant identified uses of mixture: Cleaning/Degreasing agent for washable, rinsable surfaces. Fragrance & colorant free.

Relevant identified uses advised against: Surfaces not tolerant of degreasing agents, non-rinsable surfaces.

Company:	Revolutionary Protective Solutions Limited			
	Unit 21, 2M Trade Park, Beddow Way, Aylesford	Unit 21, 2M Trade Park, Beddow Way, Aylesford		
	Kent, ME207BT, UK			
Telephone:	01622 717755			
Fax:	n/a			
Email:	info@r-p-solutions.co.uk			
Emergency Telephone: 01622 717755 NHS 111 or a doctor Poison Control: www.npis.org				

2 HAZARDS IDENTIFICATION

Classification according to Regulation (EC) No 1272/2008 [CLP] : Eye Irritant 2

Label Elements Hazard Pictograms:

Signal Word: Warning.

Hazard Statements: H319: Causes serious eye irritation

Precautionary Statements: P280: Wear eye protection.

P264: Wash hands thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Supplemental Hazard Information: Not applicable

Other Hazards: None known.

3 COMPOSITION/INFORMATION ON INGREDIENTS

		CLP Annex VI				Classification According to
CAS No.	EC No.	Index No.	REACH No.	% weight	<u>Name</u>	(EC) No 1272/2008 (CLP)
68439-46-3	614-482-0	-	-	< 0.2 - < 1%	C9-11 Ethoxylated Alcohol	Eye Dam. 1 - H318
68-04-2	200-75-3	-	-	< 0.2 - < 1%	Sodium Citrate	Not classified
51981-21-6	257-573-7	-	-	< 0.2 - < 1%	Tetrasodium N,N- bis(carboxymethyl)-L-glutamate	Not classified
497-19-8	207-838-8	_	_	< 0.2 - < 1%	Sodium Carbonate	Eve Irrit. 2 - H319
77-92-9	201-069-1	-	<u> </u>	< 0.1 - < 0.2%	Citric Acid	Not Classified

For full text of H statements and symbols see section 16

4 FIRST AID MEASURES

General Notes: Dilution of concentrate with water to 20% reduces possibility of eye irritation and removes Signal Word, Hazard

Statements and Pictogram from secondary container labels.

Following Inhalation: Move to fresh air in case of inhalation overexposure. If coughing or irritation persists consult a

physician.

Following Skin Contact: Wash with water. If redness, swelling or persistent irritation occurs consult a physician.

^{*}Please note the above ingredients are supplied to Revolutionary Protective Solutions as a mixture making < 3.4% total of the finished product as supplied. The remaining > 96.6% of the product is made up with water.

Following Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Following Ingestion: Continue rinsing. If eye irritation persists: Get medical advice/attention.

Clean mouth with water. Drink plenty of water. Do not induce vomiting. If you feel unwell seek medical

advice immediately.

4 FIRST AID MEASURES Continued

Sel -protection of the first aider: Treat Symptomatically.

Acute effects: None known or expected.

Delayed effects: None known or expected.

Immediate medical attention / special treatment: None needed.

FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use dry chemical, CO2, water spray or "alcohol" foam.

Unsuitable Extinguishing Media: High volume water Jet.

Hazardous combustion products: No hazards or reactions expected.

Advice for firefighters: No special equipment needed for this product. Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

6 ACCIDENTAL RELEASE MEASURES

Non-Emergency Personal

5

Protective Equipment: Use protective goggles.

Emergency Procedures: For small and large spills, wipe with absorbent material or soak with absorbent material and dispose

of properly – see section 13

Emergency Responders: See instructions above.

Environmental Precautions: Do not allow into open waterways and ground water systems. Local authorities should be advised if

significant spillages cannot be contained.

Methods for containment: Dike or divert spill from access to open waterways, or capping of drains.

Methods for cleaning up: Soak up with inert absorbent material (i.e. sand).

Other information: Refer to section 13 for appropriate disposal.

7 HANDLING AND STORAGE

Precautions for safe handling

Protective Measures: Avoid spray back and splashing. Keep container tightly closed when not in use.

Measures to prevent fire: Not applicable. Non flammable liquid.

Measure to prevent aerosol and dust generation: Not applicable.

Measures to protect environment: Avoid spills and keep away from drains.

Advice on general occupational hygiene: Do not eat, drink and smoke in work area. Wash hands after using. Remove

contaminated clothing and protective equipment before entering eating areas.

Conditions for safe storage, including any incompatibilities

Technical Measures and storage conditions: Store in cool dry area. Keep container tightly closed.

Packing Materials: Suitable for storage in HDPE and PET plastics.

Requirements for storage rooms and vessels: Do not allow to freeze or overheat.

Storage Class - Further information on storage conditions: None needed.

Specific End Uses - **Recommendations:** Cleaner / Degreaser used manually or with pressure washers and parts washers.

Specific End Uses - Industrial sector specific solutions: See above

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limit Values: Sodium Carbonate (497-19-8) – Czech Republic - 10 mg/m³ Ceiling; 5mg/m³ TWA

Sodium Carbonate (497-19-8) - Romania - 3 mg/m³ STEL; 1 mg/m³ TWA

Exposure Controls

Appropriate Engineering Controls Avoid spray back and splashing. Keep container tightly closed when not in use.

Personal Protection Equipment

Eye and Face Protection: If splashing is likely use protective glasses or goggles.

Skin Protection - Hands: Not needed. Extended usage with dermally sensitive individuals may require nitrile gloves.

Skin Protection – Other skin protection: Not needed.

Respiratory Protection: Not needed. In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal Hazards: Not needed.

Environmental exposure controls: Do not allow into open waterways and ground water systems.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Colorless Liquid		Vapour Density:	Not tested
Odor:	Detergent; No Added Odor		Relative Density ASTM D-4017:	1,025 g/ml
Odor Threshold:	Not determined		Solubility:	100% in water
pH ASTM D-1293:	9,8 – 10,8		Partition Coefficient:	Not tested
Freezing Point ASTM D-1177:	0 – 3,33°C (32 - 38°F)		Auto-Ignition Temperature:	None, see flash point
Boiling Point ASTM D-1120:	101°C (213,8°F)		Decomposition Temperature:	Not tested
Flash Point ASTM D-93:	None		Viscosity:	Not tested
Evaporation Rate:	Not tested		Explosive Properties:	None, see flash point
Flammability:	None, see flash point		Oxidizing Properties:	None, contains no oxidizers
Vapour Pressure:	Not determined		VOCs CARB Method 310:	0,4%
Upper/Lower Flammability	or explosive limits: Not			

10 STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical Stability: Under storage at normal ambient temperatures (minus 40° C to + 40° C), the product is stable

Possibility of Hazardous Reactions: No known hazardous reactions **Conditions to avoid:** Excessive heat, light or freezing temperatures **Incompatible Materials:** Materials susceptible to degreasing agents.

Hazardous decomposition products: No known hazardous decomposition products.

11 TOXICOLOGICAL INFORMATION

Acute Toxicity (for mixture)- Oral (LD₅₀, rat, mg/kg): $>5000^1$ Dermal (LD₅₀, rat, mg/kg): $>5000^1$

Inhalation (LC₅₀, rat, mg/l/4h): Contains no ingredients classifiable in this category

Skin Corrosion /Irritation: Non-irritant per Dermal Irritection® assay modeling. No animal testing performed. **Serious Eye damage/Irritation:** Slight irritant per Ocular Irritection® assay modeling. No animal testing performed.

Respiratory or skin sensitization: No. 2 Carcinogenicity: No. 2 Carcinogenicity: No. 2 Reproductive toxicity: No. 2

Summary of evaluation of CMR properties: Mixture and ingredients are not classifiable according to CLP in this category.

STOT-single exposure: No. 2 STOT-repeated exposure: No. 2

Aspiration hazard: No. 2

11 TOXICOLOGICAL INFORMATION Continued

12 ECOLOGICAL INFORMATION

Toxicity

Acute		Chronic	
Fish:	Aquatic Toxicity – Low , based on	Fish:	Not tested
Crustacea:	OECD 201, 202, 203 + Microtox: EC ₅₀	Crustacea:	Not tested
Algae/aquatic plants:	& IC ₅₀ ≥100 mg/L.	Algae/aquatic plants:	Not tested
Other organisms:	Not tested	Other organisms:	Not tested

Persistence and degradability:

Abiotic Degradation: Surfactant degrades abiotically Physical- and photo-chemical elimination: Not assessed

Biodegradation: Readily Biodegradable per OECD 301D, closed bottle test.

Bioaccumulative potential

Partition coefficient n-octanol/ water (log Kow): Not assessed Bioconcentration factor (BCF): Not assessed

Mobility in soil

Known or predicted distribution to environmental compartments: Unknown

Surface Tension: Not tested Adsorption/Desorption: Not tested

Results of PBT and vPvB assessment: Contains no ingredients known as PBT or vPvB.

Other adverse effects: Unknown Additional Information: None

13 DISPOSAL CONSIDERATIONS

Unused and Used liquid disposal: May be considered hazardous in your area depending on usage and tonnage of disposal – check product IDS and with local, national and European waste management legislation for appropriate methods of disposal. *Waste should not be disposed of by release to sewers.*

Empty Container disposal Triple rinse plastic bottles and offer all up for recycling.

Never dispose of preparation into lakes, streams, and open bodies of water or storm drains.

Be sure to follow any National or Regional provisions that may be in force.

14 TRANSPORTATION INFORMATION

DOT / TDG: Not classified as hazardous.

IMO / IDMG: Not classified as hazardous.

ADR / RID / ADN: Not classified as hazardous.

AND tank vessels: Not classified as hazardous.

UN Number: Not applicable
UN Proper Shipping Name: Cleaning Compound
Transport Hazard Class(es): Non-Hazardous
Packing Group: Not applicable
Environmental Hazards: Not applicable

Special Precautions for User: Check section 3, section 7 and IDS for ingredient classification

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

¹ calculated via (EC) No 1272/2008 on Classification, Labelling and Packaging of substances and mixtures. No animal testing performed.

² Mixture, based on ingredients, is not classifiable according to CLP in this category.

15 REGULATORY INFORMATION

This mixture contains only ingredients which have been subject to a pre-registration according to Regulation (EC) No. 1907/2006 (REACH).

Detergent Regulation 648/2004/EC: Please see separate IDS for full ingredient disclosure

Germany – Water Classification Sodium Carbonate (497-19-8) – ID Number 222, Hazard Class 1

Ethoxylated Alcohol (68439-46-3) - ID Number 670, Hazard Class 2

Citric Acid (77-92-9) - ID Number 57, Hazard Class 1

Russia: Citric Acid (77-92-9) 0,1 mg/m³ MAC

Additional Markings: None.

VOC Content: 0,4% (4 g/L) in concentrate

Chemical Safety Assessment: No chemical safety assessment has been carried out for this mixture by the supplier.

16 OTHER INFORMATION

Abbreviations

H318 – Causes serious eye damage H319 – Causes serious eye irritation

Classification according to Regulation (EC) Nr. 1272/2008

The statements in this Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.

Revision date 01/04/25

Revision 1

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

- Unit 21 2M Trade Park, Beddow Way, Aylesford, ME20 7BT, UK
- **+44 (0) 1622 717755**
- info@r-p-solutions.co.uk
- www.theceramicwarehouse.com